cation in the Federal Register of his determination that such action is in the interest of the United States. 1

3. This Proclamation shall be effective with respect to articles entered, or withdrawn from warehouse for consumption, on or after April 17, 1987, except that it shall not apply with respect to articles that were admitted into a U.S. foreign trade zone on or before March 31, 1987.

IN WITNESS WHEREOF, I have hereunto set my hand this seventeenth day of April, in the year of our Lord nineteen hundred and eighty-seven, and of the Independence of the United States of America the two hundred and eleventh.

RONALD REAGAN

ANNEX

Subpart B of part 2 of the Appendix to the Tariff Schedules of the United States is modified by inserting in numerical sequence the following new items and superior heading, set forth herein in columnar form, in the columns designated "Item", "Articles", "Rates of Duty 1", and "Rates of Duty 2", respectively:

Effective with respect to articles entered, or withdrawn from warehouse for consumption, on or after April 17, 1987

945.83	"Articles the product of Japan: Automatic data processing machines, of the type of which the constituent units are integrated in the same	the payorings of	
	housing, whether finished or unfinished, which incorporate a microprocessor-based calculating mechanism, are capable of handling data words of at least 16-bits off the microprocessor, and are designed for use with a non-CRT display unit, whether or not capable of use without an external power source (provided for in item 676.15, part 4C, schedule 6)	100% ad val.	No change
945.84	Automatic data processing machines, of the type of which the constituent units are separately housed, whether finished or unfinished, which incorporate a microprocessor-based calculating mechanism, are capable of handling data words of at least 16-bits off the microprocessor, designed for use while affixed to or	I FALL TO THE TO	tracings on
	placed on a table, desk, or similar place (provided for in item 676.15, part 4G, schedule 6)	100% ad val.	No change
945.85	Rotary drills, not battery powered, with a chuck capacity of 1/2 inch or more; electropneumatic rotary and percussion hammers; and grinders, sanders, and polishers (except angle grinders, sanders, and polishers, belt sanders, and orbital and straight-line sanders), the	aring Bubbli lab triogeric Bross that s	o steed k U sampe i etamator
meisk min s	foregoing which are hand-directed or -controlled tools with self-contained electric motor (provided for in item 683.20, part 5, schedule 6)	100% ad val.	No change
945.86	Complete color television receivers containing in a single housing apparatus for receiving and displaying off-the- air each standard U.S. broadcast channel, with or without external speakers, having a single picture tube	toon du val.	restriction and
	intended for direct viewing, with a video display diag- onal of 18, 19, or 20 inches (all the foregoing provided for in item 684.92, part 5, schedule 6)	100% ad val.	No change

¹ Editorial note: See the U.S. Trade Representative notices printed in the Federal Register's of June 15, 1987 (52 FR 22693) and Nov. 9, 1987 (52 FR 43147).

Editorial note: For the President's statement of Apr. 17, 1987, on the duty increases, see the Weekly Compilation of Presidential Documents (Vol. 23, p. 399).

Proclamation 5632 of April 19, 1987

National Minority Cancer Awareness Week, 1987

By the President of the United States of America A Proclamation

The month of April, a season of renewal and hope, is a most appropriate time in which to discuss good news about cancer prevention and treatment. Major advances in our understanding of this disease provide encouragement both to patients and to medical and scientific professionals. More Americans are surviving cancer longer than ever before—more than half of those diagnosed as having cancer live 5 years or longer—and they are able to lead more active lives than before.

This is good news indeed, but the fight continues. An area of special concern is that high cancer rates continue to exist among members of some minority groups. We must keep on circulating information throughout society, supporting research into reasons for these rates, and making sure that we as individuals and families take the initiative to become informed and to act on everything learned from years of discovery and progress.

Cancer strikes minority groups in many ways. Cancer incidence and mortality are higher for blacks than for whites, while survival rates are lower and diagnosis during the early, localized, most treatable stages of cancer is less frequent. Black men are particularly vulnerable, but black women have high rates of lung and cervical cancer. The incidence of lung, stomach, prostate, and esophageal cancer is higher for blacks than for others. Cancer rates for Hawaiian males and females top those of other Americans. Some forms of cancer, particularly of the stomach, are higher in Hispanics than in other ethnic groups.

The Federal government is supporting research into causes of these situations. Health planners are proposing new prevention programs. The National Cancer Institute (NCI) is training minority professionals to work in cancer prevention and stepping up its efforts to inform and educate members of minority groups about cancer.

We have learned a great deal about causes of cancer. A change of diet to include more fiber and less fat will help reduce the estimated 35 percent of cancer deaths that are related to what we eat. This is because diets low in fiber and high in fats appear to increase the risk of cancers of the colon, prostate, breast, and uterine lining. Other changes can also reduce the risk of cancer. Examples of two areas are cigarette smoking, which causes an estimated 85 percent of all lung cancer, and high alcohol intake, which increases the risk of esophageal cancer.

The more we educate ourselves and others, and the more we continue to support all fronts of the battle against cancer, the more headway we will make for members of minority groups and for all Americans.

The Congress, by House Joint Resolution 119, has designated the week of April 19 through April 25, 1987, as "National Minority Cancer Awareness Week" and authorized and requested the President to issue a proclamation in observance of this week.

NOW, THEREFORE, I, RONALD REAGAN, President of the United States of America, do hereby proclaim the week of April 19 through April 25, 1987, as National Minority Cancer Awareness Week. I call upon public officials at all levels; members of the medical and health professions; business, religious, and civic groups and leaders; and the communications media to join this special effort to help minority Americans take advantage of new knowledge to conquer cancer. I especially urge each American, young and old, to take a new look at this disease and help reduce the toll it takes on us all.

IN WITNESS WHEREOF, I have hereunto set my hand this 19th day of April, in the year of our Lord nineteen hundred and eighty-seven, and of the Independence of the United States of America the two hundred and eleventh.

RONALD REAGAN

Proclamation 5633 of April 21, 1987

Cancer Control Month, 1987

By the President of the United States of America A Proclamation

In the 50 years since President Franklin D. Roosevelt signed the National Cancer Institute Act, on August 5, 1937, our Nation has taken giant steps toward the conquest of cancer. Unparalleled growth in our understanding of the biology of cancer has changed what we can do to detect, diagnose, and treat this disease, and has made cancer prevention an attainable goal. These achievements should be a source of immense pride to scientists and to the American public, and should help us rededicate ourselves to the control of this disease.

It is sobering to realize that strong, scientific evidence links many forms of cancer to the way we live, especially the foods we eat and the use of to-bacco. We know, for example, that smoking causes 30 percent of all cancer deaths. Just as important, though, we know that quitting smoking, even after many years, can reduce the risk of cancer. For two years now, we have seen a decreasing incidence of lung cancer among white males, and it looks as if the rate for white females is moving in the same direction. This encouraging downward trend reflects gradual changes in smoking patterns over the past two decades. Unfortunately, however, black Americans are still experiencing high rates of smoking-related cancers. More needs to be done to educate groups with high incidence of cancer about the dangers of smoking. We also must do everything we can to urge our young people not to start smoking.

The estimate that 35 percent of the cancer deaths in this country are related to diet means that dietary changes can make a big difference. Fortunately,